



Invitation for Tender

Date; July 31, 2020

Tender Ref # – **DF-PAK1094-IFT-63**

Building Disaster Resilience in Pakistan (BDRP Programme)–Phase II

Provision of drinking water (R.O Plants) and sanitation facilities in health units Districts Rajanpur & Muzaffargarh

Doaba Foundation is a humanitarian organization working in disaster prone areas with the vision “Disaster Prone Communities Becoming Self-Reliant in Pursuit of Their Common Interests”. Doaba Foundation’s mission is to improve the quality of life among rural people and, it concentrates on communities prone to disaster. It believes in achieving the goal through optimal utilization of available resources i.e. physical-biological, moral and human. It seeks to build capacities of such communities incorporating even the relief activities into program of preparedness interventions, facilitating emergence of self-reliant communities”.

Welthungerhilfe (WHH) was established in 1962. It is today one of the largest private organizations working in the area of development cooperation and humanitarian aid in Germany. The organization is non-profit-seeking, non-partisan and non-denominational. Donations from the population at large fund our work in over 40 countries in Africa, Asia and Latin America. In addition, WHH receives grants from the Federal German Government, the European Union, and the United Nations for International Development. WHH is the execution agency of BDRP programme.

The Department for International Development (DFID) is a United Kingdom government department responsible for administering overseas aid. The goal of the department is "to promote sustainable development and eliminate world poverty". DFID's main programme areas of work are Education, Health, Social Services, Water Supply and Sanitation, Government and Civil Society, Economic Sector (including Infrastructure, Production Sectors and Developing Doaba Foundation), Environment Protection, Research, and Humanitarian Assistance. DFID is funding agency of BDRP programme.

In order to implement water and sanitation facilities, Doaba Foundation invites reliable construction firm for Provision of water and sanitation facilities in health units Districts Rajanpur & Muzaffargarh

1. Instructions to tenderers

By submitting a tender, tenderers fully and unreservedly accept the conditions of this call for tenders, which will constitute the governing the contract as the sole basis of this tendering procedure, whatever the tenderers own conditions of sale may be, which they hereby waive. Tenderers are expected to examine carefully and comply with all instructions, forms, contract provisions and specifications contained in this tender dossier. Failure to submit a tender containing all the required information and documentation within the deadline specified will lead to the rejection of the tender. No account can be taken of any remarks in the tender relating to the tender dossier; remarks may result in the immediate rejection of the tender without further evaluation.

To be eligible to take part in this tender procedure, tenderers must prove to the satisfaction of the Contracting Authority that they comply with the necessary legal, technical and financial requirements and have the means to carry out the contract effectively.

The foreseeable timetable for this procedure is as follows:

	DATE	TIME in PST
Deadline for requesting clarifications from the Contracting Authority	August 05, 2020	12:00 PM
Last date on which clarifications are issued by the Contracting Authority	August05, 2020	05:00 PM
Deadline for submission of tenders	August 06, 2020	05:00 PM

2. Specifications / Quantities

Lot: 01

A-Construction / Installation of (Number 02) R.O Water Filtration Plants in (BHU Jahanpur UC Bhakarpur and BHU Nur Pur Machi wala UC Bait Sontra Tehsil & District Rajanpur)

Sr. No	Description of Item	Specifications	Quantity	Unit	Unit Rate	Amount
1	Dismantling Work	Dismantling dry brick masonry	520	Cft		
2	Pacca Brick Work (1:5)	Pacca brick work 1:5 in Ground Floor with Cement sand Mortar Ratio 1:5 up to roof level.	488	Cft		
3	R.C.C (1:2:4)	Providing and laying reinforced cement concrete prestressed concrete), using coarse sand and screened graded and washed aggregate, in required shape and design, including forms, moulds, shuttering, lifting, compacting, after removing centring. curing, rendering and finishing exposed surface, complete (but excluding the cost of steel reinforcement, its fabrication 2) and placing in position, etc.) Reinforced cement concrete in roof slab, beams, extra. columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respects: - Type C (nominal mix 1: 2: 4)	29.50	Cft		
4	Steel	Fabrication of mild steel reinforcement for cement Concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):- Deformed bars (Grade-40) = 24'x15.25' 6" C/C Spacing	116	Kg		
5	Plaster work	Plaster 1/2" thick (1:4 C/S motor) (complete in all respect)	3955	Sft		
6	P.C.C (1:2:4)	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:2:4)	84	Cft		
7	P.C.C (1:4:8)	Plain Cement Concrete including placing, compacting, finishing & curing (1:4:8).	84	Cft		
8	Glazed Tiles	P/L Ceramics tiles for floors & Walls (mat finishing) complete in all respect	774	sft		
9	Iron Door	Door size 5 'x 7', 02 panel, Angle iron frame 1.5"x1.5"x3/16", Angle iron for sheet	2	Nos		

		1.25"x1.25"x3/16", with locking arrangements inside and outside, Plain sheet 2"x1", gauge 18, Hinges for fixing in walls 06 No, 9" in length, dark Blue painted double coat				
10	Iron Window	window Size 6'x5', Angle iron frame 1.25"x1.25"x3/16", Angle iron for sheet 1"x1"x3/16", locking system on inside, Plain sheet, gauge 20, Hinges for fixing in walls 04 No, 9" in length, dark Blue painted double coat	2	Nos		
11	Ventilators	G.I Steel plain sheet ventilator with steel pipe frame of size 1.5" x 2" with single palla Size 1.5'x2' (plain sheet, 20-gauge sheet, agnle Frame) with one handle, locking mechanism, Wire Mesh (Jali), double coat spray paint dark blue colour with hinges.	4	Nos		
12	White Wash	Distempering/ Weather Shield 3 coats on new surface	3850	Sft		
13	Burnt Tiles	P/F Burnt Brick Tile Roofing over Tee Iron(2"x1") thickness 30/30mm, weight 1.81kg/m and, in 1:6 c/s mortar (6' max span	676.5	Sft		
14	UPVC Pipes	Rain water Down pipe 4" dia	30	Rft		
15	Sanitary work	Providing and Fitting of PPRC pipe of different Dia (Sanitary fitting) purpose i/c Fixing of Bib Cocks, stop cock, tee cock etc of best quality.	2	Jobs		
16	Water Tank	Supplying and Fixing Polyethylene Water Tank made from food grade FDA Certified raw material, 3 layers UV stabilized, inert with water, anti-fungus and anti-bacterial and have a service life of more than 10 years: 750 gallons (Vertical) white color	4	Nos		
17	Electric Water Pump	2 HP Electric Water Pump Centrifugal 1" Inlet/Outlet 3450RPM Clear Water Transfer. Single phase motor. Motor speed: 3450 RPM. Maximum total head: 164Ft. Maximum suction lift: 90 Ft with copper wiring and one-year warrantee)	2	Nos		
18	Boring Work	Boring work manual 4" dia boring in all types of strata at the site.	400	Rfts		
19	Electric Work	Electrification work complete with making some jharries , holes , pipes, holders, sockets, piano switches or sheet, Large board etc complete with Electric penal board as approved by the Engineer	2	Jobs		
20	RCC Pipes	Providing and laying non-reinforced concrete pipe molded with cement concrete 1:1-1/2:3 conforming to ASTM Specification C-14-73, Class-2, including carriage of pipe from factory to site of work, lowering in trenches to correct	275	Rft		

		alignment and grade, jointing, cutting pipe where necessary, finishing and testing, etc. complete:- 9" i/d wall thickness 1".				
21	Electric Stabilized	P/Fixing of voltage stabilized 1000 KVA cooling air and oil cooled in two separate modules input voltage range 300-400 volts in 3 phase A.C wire system all MCCB should be of TARASAKI as approved by the engineer complete with lifting hooks earthing bolt complete	2	Nos		
22	Sign Board	Size 4'x4'x12', Sheet Gauge 20 SWG, Pipe Size 2", Pipe gauge 18 SWG, Oil Painted Back Ground with Multi color Writing and drawing maps etc on both sides.	2	Nos		
23	Reverse Osmosis System	P/Installing, testing and commissioning of Reverse Osmosis (R.O) system approved with all accessories and water supply system with Arsenic and Florid Kit Complete in all respect and up to the Entire satisfaction of Engineer In charge. Contractor will ensure and provide post installation water quality test from any authorized Laboratory which will be consult with the Concerned Engineer In charge. plant is subject to approval of concerned Engineer site.2000 Gallons in 24 Hours	2	Nos		

G-Total (A)

B-Sanitary work for R.O Plants

Sr.No	Description of Item	Specifications	Quantity	Unit	Unit Rate	Amount
1	P-Trap	P trap 4"Dia	4	No		
2	GI-Pipes	GI Pipe 3"Ø socket welded for ablution area complete in all respect	20	Rft		
3	PPRC pipes	PPRC pipe for Water Supply 1-1/4" Ø (32mm)	225	Rft		
4	Elbow	Elbow 1-1/4" Ø 32mm	6	No		
5	Socket	Socket 1-1/4" Ø 32mm	6	No		
6	Tee	Equal Tee 1-1/4" Ø 32mm	4	No		
7	Tee	Tee Reducer (32*25mm)	2	No		
8	Socket	Socket (32mm * 3/4")	4	No		
9	Union	Plastic Union 1-1/4" Ø (32mm)	2	No		
10	Gate Valve	Gate valve 32mm	6	No		

11	PPRC Pipe	PPRC pipe 3/4" Ø (25mm)	325	Rft		
12	Elbow	Elbow 3/4" Ø (25mm)	8	No		
13	Socket	Socket 3/4" Ø (25mm)	8	No		
14	Equal Tee	Equal Tee 3/4" Ø (25mm)	8	No		
15	Socket	Socket (25mm * 3/4")	4	No		
16	Elbow	Elbow (25mm *1/2")	4	No		
17	Tee	Tee (25mm *1/2")	4	No		
18	Pipe Nipple	Pipe Nipple GI 3/4" Ø (20mm)	2	No		
19	Pipe Nipple	Pipe Nipple GI 1/2" Ø (20mm)	4	No		
20	Gate Valve	Gate Valve Socket (32 mm)	6	No		
21	Union	Plastic Union 3/4" Ø (25mm)	2	No		
22	Bib cock	BIB Cock (Super Asia)	8	No		
23	UPVC pipe	UPVC pipe 4" Ø Golden 3 layers	60	Rft		
24	UPVC Vent pipe	UPVC Vent pipe 2" Ø Golden 3 layers with vent pipe cap	40	Rft		
25	UPVC Vent pipe	UPVC Tee 4" Ø	6	No		
26	UPVC elbow	UPVC elbow 4" Ø	6	No		
27	Reducer	Reducer 4"x2"	4	No		
28	Cotton thread	Cotton thread	2	No		
29	Clip	Clip for Pipe Fixing	8	No		
30	Solution	AGM Solution	2	No		
Grand Total (A+B)						

Lot: 02

The specifications and quantities of the items for Construction of Construction of Latrine Blocks in BHU Kotla Mughlan Tehsil Jampur Districts Rajanpur.

A-Toilet Block

Construction of Latrine Blocks in Health Unit

S#	Material Description	Quantity	Unit	Unit rates	Amount
1	Earth excavation undressed up to single throw of kassi phaorah or shovel etc.: in ashes, sand, soft soil or silt clearance	400.31	Cft		
2	Provide, lay, water & ram brick ballast gauge mixed with 25% sand for floor foundations	40.50	Cft		

3	Plain Cement Concrete including placing, compacting, finishing & curing (1:4:8	43.73	Cft		
4	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:2:4)	47.65	Cft		
5	RCC in roof slab & other structural members, in situation (1:2:4)	18.13	Cft		
6	1st class brick work in foundation and plinth in Cement, sand mortar 1:4	393.60	Cft		
7	Cement pointing struck joints, on walls, up to 10' height: Ratio 1:3	359.75	Sft		
8	Cement sand Plaster (1:3) 1/2" thick	707.25	Sft		
9	P/F Burnt Brick Tile Roofing over Tee Iron(2"x1") thickness 30/30mm, weight 1.81kg/m and, in 1:6 c/s mortar (6' max span	95.31	Sft		
10	Supplying and laying polythene sheet over D.P.C. and on roofs, etc 500 gauge (.005" thick)	137.75	Sft		
11	Mild Steel deformed (60 Grade) 1/2" dia	36.25	Kg		
12	Providing and fitting glazed earthenware water closet (WC), squatter type combined with foot rest. Complete in all respects: White color, Size: 595 x 435 x 217mm, Durable and chemical resistant	2	No		
13	Providing and Fixing glazed earthen ware WC European type of medium size including cost of seat & cover, complete in all respects (White color):	1	No		
14	Providing and laying Waste UPVC Pipe 4" dia for connection with P-Trap complete in all respect.	70	rft		
15	Supplying and Fixing UPVC soil waste and vent pipe class B: 4" dia along with end cap.	60	rft		
16	UPVC- tee size 4"x4"x3" for vent pipe.	6	No		
17	Providing, laying, cutting, jointing, testing and disinfecting High Density Polyethylene Pipe (HDPE) Din-8074/Din-8075/ISO-4427 in trenches, complete in all respects except excavation. (40 mm dia) PN-8	110	Rft		
18	Gi Pipe P/L cutting jointing testing and disinfecting I.L.L pipe line in trenches with socket joints using I.L.L pipe complete in all respects with specials and value medium quality. 3/4"dia	40	Rft		
19	P/F C.P BIB COCK ii) 1.5 cm (1/2") class heavy duty.	5	No		
20	Welding, fixing & Colour Charges for GI Railing along ramp, Neat welding at joints and fixing of vertical supports in floor, fixing and welding of horizontal pipe in wall and vertical support, yellow oil paint on vertical and horizontal supports.	1	Set		
21	Door size 3'X6', single panel, Angle iron frame 1.5"x1.5"x3/16", Angle iron for sheet 1.25"x1.25"x3/16", with locking arrangements inside and outside, MS Iron sheet 2"x1", gauge 18, Hinges for fixing in walls 04 No, 9" in length, Blue painted with one coat of primer and 2 coats of blue color.	3	No		
22	G.I Steel plain sheet ventilator with steel pipe frame of size 1.5" x 2" with single palla Size 1.5'x1.5' (plain sheet, 20 gauge sheet, angle Frame) with one handles ,locking mechanism, Wire Mesh (Jali), double coat spray paint dark blue color with hinges complete in all respect	3	No		

23	P/L Ceramics tiles for floors & Walls (mat finishing) complete in all respect.	237	sft		
24	Providing and fixing in walls and floors chrome plated Grab rail <ul style="list-style-type: none"> • U-shape wall mounted Dia 32mm, length 600mm as per attached picture for reference Wall to floor type grab rail Tube grab: Ø 32mm <ul style="list-style-type: none"> • Total dimensions between centre points: 733 (H) x 105 (W) x 733 (D) mm • Support height: 750mm • Bars: Ø 34mm • Flange covers: Ø 80.7mm • Tested weight resistance: 100Kg • Inner bar material: Aluminium • Wall support material: AISI 304 stainless steel • Coating for all materials: Antibacterial white ABS • Non-conductive Attached picture for refence Soakage Pit as per drawing attached as per drawing.	2	No		
25	White washing 02 coats on all plaster surfaces.	707.25	Sft		
Total Amount					

B-Sewerage and sanitation Facility BHU Jahanpur Tehsil & District Rajanpur

Sr. N	Description of Item	Specifications	Quantity	Unit	Unit Rate	Amount
1	Cement	Ordinary Portland Cement (50) Kg Bag	45	Bags		
2	Sand	Silt free river sand	170	Cft		
3	Crush	Angular 1/2 down	100	Cft		
4	Steel	Rust Free 60 grade	520	Kg		
5	Pre-Cast RCC Pipes	Providing and laying non-reinforced concrete pipe molded with cement concrete 1:1-1/2:3 conforming to ASTM Specification C-14-73, Class-2, including carriage of pipe from factory to site of work, lowering in trenches to correct alignment and grade, jointing, cutting pipe where necessary, finishing and testing, etc. complete:- 9" i/d wall thickness 1".	18	Nos		
6	Skilled Labour	8 Working Hour per day	5	Mand ays		
7	Un-Skilled Labour	8 Working Hour per day	14	Mand ays		
8	White Wash of Toilet	2 coats for wash rooms 140 ft covered area	140	Sft		
9	Visibility Board	GI SWG-18, 2" dia pipe frame, 10ft Long with GI Sheet SWG-16 - 4ft X 3ft (Framed with iron angle) fixed with pipe frame with 3-Iron pieces on all four sides, 10ft long	1	Nos		

		column pipes with two 1ft long welded angle irons on bottom of columns on both sides for fixing in ground also including painting, printing logos and writing with proper installation in BHUs with PCC 1:2:4 at 2ft depth				
10	UPVC Pipe	P/I UPVC pipe 4" dia for Casing complete in all respect	201	Rft		
11	UPVC Pipe	1" dia UPVC Pipe as delivery pipe	180	Rft		
12	WC Set	Providing and fitting glazed earthenware water closet (WC), squatter type combined with foot rest. Complete in all respects: White color, Size: 595 x 435 x 217mm, Durable and chemical resistant	1	Nos		
13	Bib Cocks	P/F C.P BIB COCK ii) 1.5 cm (1/2")	3	Nos		
14	Wash Basin	Wash Basin with Pedestal. In White / Ivory Color. Size: 650 x 530 x 890mm. 3 tap hole Fixing with back to wall	2	Nos		
15	Commode	Providing and Fixing glazed earthen ware commode European type of medium size including cost of seat & cover, complete in all respects.	1	Nos		
16	HDPE Pipe	80' HDPE Pipe .75" dia complete in all respect and fittings)	1	Job		
17	Filter	Perforation in Pipe to make Filter	20	Rft		
18	Wooden Plug	Wooden Plug/End Cap	2	No		
19	Electric Pump	2 HP Electric Water Pump Centrifugal 1" Inlet/Outlet 3450 RPM Clear Water Transfer. Single phase motor. Motor speed: 3450 RPM. Maximum total head: 164Ft. Maximum suction lift: 90 Ft with copper wiring and one-year warrantee)	1	No		
20	Water Tank	Supplying and Fixing Polyethylene Water Tank made from food grade FDA Certified raw material, 3 layers UV stabilized, inert with water, anti-fungus and anti-bacterial and have a service life of more than 10 years: 500 gallons (Vertical) white color	1	NO		
21	Hand Rails	Welding, fixing & Colour Charges for GI Railing along ramp, Neat welding at joints and fixing of vertical supports in floor, fixing and welding of horizontal pipe in wall and vertical support, yellow oil paint on vertical and horizontal supports	1	Set		
22	Plumber work	Fitting and fixing of Water tank	5	Man		

				days	
Total Amount PKR (B)					
Total Amount(A+B)					

Lot: 03

Construction of Toilet Block, Sanitation facility in health units Tehsil Alipur District Muzaffargarh.

A-Toilet Block BHU Sarki UC Khangarh Doima Tehsil Alipur District Muzaffargarh

S.N	Specifications	Quantity	Unit	Unit Rate	Amount
1	Earth excavation undressed up to single throw of kassi phaorah or shovel etc : in ashes, sand, soft soil or silt clearance	Cft	426		
2	Brick Ballast (Soling for bed using round stone or brick bats as easily available for proper compaction)	Cft	56		
3	Plain Cement Concrete including placing, compacting, finishing & curing (1:4:8)	Cft	17		
4	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:2:4)	Cft	67		
5	1st class brick work in foundation and plinth in Cement, sand mortar 1:5	Cft	985		
6	Cement sand Plaster (1:3) 1/2" thick	Sft	852		
7	Cement pointing struck joints, on walls, up to 10' height: Ratio 1:4	Sft	565		
8	Whitewashing (2 coats complete in all respects)	Sft	1344		
9	T-Iron Roof With including Roof Treatment Complete In all respect	Sft	162		
10	Girder for Roof 4"x8"	Rft	34		
11	PVC Elbo / Bend 4"	No	4		
12	PVC Tee 4"x2"	No	2		
13	Providing and Fixing glazed earthen ware WC European type of medium size including cost of seat & cover, complete in all respects: Wash down One-Piece Toilet With Dual Fitting, simple Seat Cover, In white color, Size: 640 x 355 x 705mm, 4/6 Liters flush water-saving model, S-trap, Center of drain 95mm, from Wall of drain 90mm	No	2		
14	P-Trap 3"	No	2		
15	P-Trap 4"	No	2		
16	P/I PVC Pipe 4" dia complete in all respect	Rft	26		
17	PVC Pipe 2" dia	Rft	20		
18	Vent Cowell / cap	No	2		

19	Steel Clips 2" Size	No	4		
20	Gilue / Solution	No	2		
21	P/L Ceramics tiles for floors & Walls (mat finishing) complete in all respect	Sft	387		
22	Door size 3'X6', single panel, Angle iron frame 1.5"x1.5"x3/16", Angle iron for sheet 1.25"x1.25"x3/16", with locking arrangements inside and outside, Corrugated sheet 2"x1", gauge 18, Hinges for fixing in walls 04 No, 9" in length, Blue painted double coat	Nos	2		
23	G.I Steel plain sheet ventilator with steel pipe frame of size 1.5" x 2" with single palla Size 1.5'x1.5' (plain sheet, 20 gauge sheet, angle Frame) with one handles ,locking mechanism, Wire Mesh (Jali), double coat spray paint dark blue color with hinges complete in all respect	Job	2		
24	Providing and fitting glazed earthenware water closet (WC), squatter type combined with foot rest. Complete in all respects: White color, Size: 595 x 435 x 217mm, Durable and chemical resistant	Set	2		
25	Handrails are provided one sides of the ramp at 2.33ft from the ramp level,13 feet long and 3 feet wide grill with 3/4 " MS pipe with white color approved by engineer	Set	2		
26	Steel Hook for PWDs size 18"x6"	Nos	4		
27	Steel for Septic Tank Slab	Kg	30		
Total Amount PKR(A)					

B-Sewerage and sanitation Facility BHU Sarki UC Khangarh Doima Tehsil Alipur District Muzaffargarh

Sr. N	Description of Item	Specifications	Quantity	Unit	Unit Rate	Amount
1	Supply of Ordinary Portland Cement	Ordinary Portland Cement 50 Kg Bag	48	Bags		
2	Supply of River Sand for Brick Masonry and Concrete	Fine-grained and free of impurities	170	Cft		
4	Supply of Crush	Size 1/2" down	100	Cft		
5	Steel	Deformed bars (Grade-60) Rust Free	520	Kg		
6	Pre-Cast Pipes	Providing and laying non-reinforced concrete pipe molded with cement concrete 1:1-1/2:3 conforming to ASTM Specification C-14-73, Class-2, including carriage of pipe from factory to site of	18	Nos		

		work, lowering in trenches to correct alignment and grade, jointing, cutting pipe where necessary, finishing and testing, etc. complete:- 9" & 6' long i/d wall thickness 1".				
7	Skilled Labour	8 Working Hour per day	28	Mandays		
8	Un-Skilled Labour	8 Working Hour per day	36	Mandays		
9	water tank	Supplying and Fixing Polyethylene Water Tank made from food grade FDA Certified raw material, 3 layers UV stabilized, inert with water, anti-fungus and anti-bacterial and have a service life of more than 10 years: 500 gallons (Vertical) white color	1	Nos		
10	White Wash for Toilet	02 coats of new surface plaster work	410	sft		
11	Sign Board	Size 4'x4'x12', Sheet Gauge 20 SWG, Pipe Size 2", Pipe gauge 18 SWG, Oil Painted Back Ground with Multi color Writing and drawing maps etc on both sides with proper installation in village with PCC 1:2:4 at 2ft depth.	1	Nos		
12	Boring work 4" Dia	4" dia boring in all types of strata at the site recommended based on laboratory (pre)test results	400	Rft		
13	UPVC Pipe	UPVC pipe 4" dia for Casing pipe for boring	402	Rft		
14	UPVC Pipe	1" dia UPVC Pipe for delivery	360	Rft		
15	WC Set	Water Closet/commode (WC) medium size Indian	1	No		
16	Wash Basin	Wash Basin with Pedestal. In White / Ivory Color. Size: 650 x 530 x 890mm. 3 tap holes Fixing with back to wall	2	No		
17	Glazed Tiles	P/L Ceramics tiles for floors & Walls (mat finishing) complete in all respect (M.O Room)	193.5	sft		
18	HDPE Pipe	80' HDPE Pipe 0.75" dia complete in all respect and fittings)	2	Job		
19	Filter	Perforation in Pipe to make Filter	80	Rft		
20	Wooden Plug	Wooden Plug/End Cap	4	No		
21	Electric Pump	Electric Water Pump (Electric Water Pump Double Hook with copper wiring)	1	No		
22	Water Tanks	Supplying and Fixing Polyethylene Water Tank made from food grade FDA Certified raw material, 3 layers UV stabilized, inert with water,	2	NO		

		anti-fungus and anti-bacterial and have a service life of more than 10 years: 500 gallons (Vertical) white color				
23	Bib Cocks	P/F C.P BIB COCK ii) 1.5 cm (1/2")	4	No		
24	Plumber Work	Fitting and fixing of Water tank	2	Job		
Total Amount PKR (B)						
Total Amount(A+B)						

3. **Scope: Doaba Foundation invites** tenders for the supplies/works described and summarized in accordance with procedures, conditions and contract terms, as prescribed in the tender documents. **Doaba Foundation reserves** the right to slightly vary the quantity of work/materials/supplies specified in the Tender Documents without any changes in unit price or other terms and conditions and to accept or reject any, all, or part of submitted offers.
4. **Language:** As determined by **Doaba Foundation** the working language of this tender is English. Other languages will not be accepted.
5. **Qualifying and Conditions:** The main criteria for admission to the tender are as follows:
 - a) Certificate of Registration including GST certificate of incorporation/company registration under law of land where head office of country is located
 - b) Company registered with Pakistan Engineering Council in at least C-6 category
 - c) Company profile including status of firm (e.g. company out let, authorized dealer, whole seller, reseller etc)
 - d) Good track-record and references from previous clients including documentary evidence in shape of agreements/ contract with other international/UN organizations for last two years for similar nature of work.
 - e) Recognized bank account; **Doaba Foundation** will make all payments through cross cheque or through bank transfers in given bank account)
 - f) Performance Guarantee: 5% bid amount in shape of CDR/ Demand draft should be submitted at the time signing of contract. This 5% performance guarantee will be returned after 30 working days completion of all work as per agreement.
 - g) **After awarding contract/ agreement work must be completed within 30 working days (mandatory).**
Documentary proof of the above must be provided.
6. **Tender Basis:**
 - All Tender Documents must be completed in full, or the application will be disqualified.
 - All Applicants will receive identical documents: No applicant should add, omit, or change any item, term or condition in original papers.
 - If Applicants have any additional request and conditions, this shall be stipulated in a separate letter accompanying the bid.
 - Each applicant should take one bid only.
 - Bids shall be made in writing calculated in PKR only and clearly stated on the appropriate forms.
 - The price schedule must include all information requested, including origin of materials (if required).
 - The applicant shall oblige the attached timetable for carrying out the works and propose ways and means to realize the works as stated in the tender documents.
 - **Doaba Foundation** is not liable for any damage to the applicant person or property in the event that something should occur. **Doaba Foundation strongly** recommends that all applicants take extra precaution when visiting/delivering supplies to a project site.
7. **Scope of Works: (BOQs and drawings can be obtained from Doaba Foundation office Multan)'**
8. **Payments:** Payment will be made upon satisfactory delivery and technical verification/test report of the supplies and completion of the services to the location mentioned in tender notice/Invitation of Tender.
9. **Performance Standards:** The works/services must be undertaken in accordance with all relevant rules, regulations and statutes currently in force in Pakistan.
10. **Tender Documents:** All Tender Documents included in this package are listed on the Tender Document Receipt Form, signed by each recipient.
11. **Eligibility of Applicants:** Applicants cannot apply if they:
 - Are not registered companies.

- Are bankrupt or in the process of going bankrupt.
- Have been convicted for an offense concerning professional conduct.
- Have been guilty of grave professional misconduct (proven by any means which the contracting authorities can justify).
- Have not fulfilled obligations related to payment of taxes.
- Are guilty of serious misinterpretation/misrepresentations of facts in supplying information.
- Are in situations of conflict of interest (with prior relationship to project or family or business relationship to parties in

Doaba Foundation & Welthungerhilfe.

- Were declared at serious fault of implementation owing to a breach of their contractual obligations
 - Are on any list of sanctioned parties issued by the Pakistan Government.
 - Have been reported for/under litigation for child abuse.
12. **Bid Delivery:** All tenders will be delivered (through post/Courier/by hand) in standard format to DOABA Foundation Office banglow # 120-D Street No 2 Near Razzia Iqbal Hospital Behind Toyota Showroom Shalimar Colony Bosan Road Multan, Pakistan in a sealed envelope and by the date stated in Tender Documents. The envelope will be clearly marked with the precise reference of the invitation to which it is a response, the delivery address and the name of the applicant. Tenders delivered after the specified time will not be accepted.

Bidders must obtain proof of submission of bids with date and time from Doaba Foundation.

13. **Bid Opening:** The bids will be opened in the presence of the Tender Committee and Applicant's Representative (who wish to witness), at the address and on the date specified in the Tender Documents. The applicant's name, the bid prices, the total amount of the bid, any discounts and such other information that the **Doaba Foundation** may consider appropriate will be announced and registered in the minutes.
14. **Bid Evaluation:** The Tender Committee will check the tenders to ensure that they contain no amendment to the terms or any other (calculation) errors, in case there is any calculation mistake, unit price will be considered as base for the correction, to assist in the examination, evaluation and comparison of bids, the Tender Committee may, at its discretion, request clarification from the Doaba Foundation staff or consultant or Bidder.

Price: 50%

Profile and delivery schedule: 20%

Sample's Quality: 30%

- **Bids evaluation:** With Prices and costs the Tender Committee may take into account other criteria, including, but not limited to record of past performance, integrity, community rapport etc, when assigning companies to the designated short list.
15. **Selection of Tender:** Selection of the successful applicant will be based on the ranking of companies according to financial and technical criteria, as well as any other criteria suggested by the Tender Committee. Based on this the Tender Committee will then make a recommendation.
16. **Acceptance of Successful Tender:** Taking into consideration the recommendation of the Tender Committee, **Doaba Foundation will** make the final choice of the awarded firm. **Doaba Foundation will** then send a letter of acceptance to the successful applicant. After submitted documentation from the selected firm has been verified, the firm will then be obliged to sign the contract for the stated amount. Any amendment to the awarded tender will be documented as an "Annex" to the contract and will be determined by **(Doaba Foundation)**

17. **Specific Terms & Conditions:**

Sealed quotations clearly marked "**quotations (Provision of Water and sanitation facility in health units)**" must reach **DOABA Foundation Office Banglow No 120-D, Street No 2 Behind Toyota Showroom Shalimar Colony Bosan Road Multan, Pakistan.**

- The rates quoted should be inclusive of all applicable Govt. taxes & costs for packing, visibility, transportation, assembling, installation Loading/Un-loading at sites & all other related costs etc.
- Doaba Foundation will verify/check/inspect all the items before and after the delivery (Pre and Post Shipment).
- The **completion of water sanitation works** will be the responsibility of vendor. Vendor will be responsible to complete all the activities at **District Rajanpur and Muzaffargarh.**
- Evidence in shape of purchase orders/contracts for supply of similar items for last two years **must be submitted with bids.**
- Services and Goods QUOTED other than Doaba Foundation's approved Specifications, drawings and BOQs will not be accepted and quotation will be treated as cancelled.
- **Cost, profile status, quality & time factors will be given due consideration for selection of vendor.**
- Payment will be released within **25-30 days**, through cross cheque/ Demand draft in the name of business (after completion of work is per Satisfaction of Engineer in charge and submission of invoices, complete in all respect).

- **Penalty @.05% per calendar day of the total contractual amount will be imposed in case of delays after agreed due date of job completion.**
- Doaba Foundation reserves the right to hold the payment till the required services/goods supplied meet the required specifications/satisfactions of Doaba Foundation.
- Tender documents/quoted prices must be valid for minimum period of 90 calendar days, from the date of opening of tenders.
- Lowest price will not be the sole criteria for selection; **quality, delivery time & past experience etc. will also be considered.**
- All construction/material/supplies must be completed on timeline given by Doaba Foundation.
- Doaba Foundation reserves the right to either accept/reject any quotation without assigning any reason, or **increase/decrease the quantities as given in tender documents.**
- Being transparent organization Doaba Foundation welcomes suggestions/observations from the bidders. But any baseless/un-justified complaints will lead to disqualification of business with Doaba Foundation and Doaba Foundation's decision in this regard will be final.
- The vendor will be neither engaged in nor promote child labour.
- The vendor should follow all the precautionary measures to protect physical, sexual, economical, psychological and emotional abuse of children.
- The decision of Doaba Foundation will be final and binding on all.

Following documents must be submitted before tender closing:

- Written/printed quotation on letterhead paper or on Tender document. The quotation has included: the pre-qualification documents (3 Pages) as in Annex 1 must be (signed and stamped)
- Company Profile (Must include Past experiences, last 3 years financial statement, GST/Sales Tax registrations/NTN, PEC Registration, CVs of key personals, list of tools and Plants)

Non provision of samples, upon request, will lead to exclusion of the tenderer.

Tender Conditions

- The tenders, all correspondence and documents related to the tender exchanged by the tenderer and the Contracting Authority must be written in the language of the procedure, which is English.
- The offer has to have a validity of minimum 90 calendar days following the tender deadline.
- The Contracting Authority, in Pakistan, must receive the tenders before **August05, 2020 till 05:00PM.**
- The tender must include all the documents as specified in the tender documents and be sent to the following address:

DOABA Foundation Office Banglow No 120-D Street No 2 Near Razzia Iqbal Hospital Behind Toyota Showroom Shalimar Colony Bosan Road Multan, **Pakistan.**

- All tenders, including annexes and all supporting documents, must be submitted in a sealed envelope bearing only:
 - the above address;
 - the reference code of this tender procedure, (**DF-PAK1094-IFT-63**);
 - the words 'Not to be opened before the tender opening session
 - The name of the tenderer.
 - Quotations are to be provided per hard copy, in one copy only. Offers per e-mail or fax will not be accepted or considered.
 - Alteration or withdrawal of tenders

Doaba Foundation Foundation.

In case of any questions contact

061-6212857

doabafoundation.procurement@gmail.com

Annex 1

Supplier qualification**Page 1/3**

Company name	
Legal form	
Number of employees	
Nationality of company	
Postal address	
Visitors address	
Telephone number	
Email address	
Website	
Name of Managing Director	
Sales & marketing contact person	
Shipping department contact person	
Range of services provided by the company (company portfolio)	
Remarks	

Note: Doaba Foundation carries out projects in the field of humanitarian aid and development cooperation which are also financed by the European Community, among others. Part of this qualifying process for our suppliers is the following declaration by your company (in accordance with European Union rules and conditions for the awarding of contracts for services, supplies of goods and construction services).

Page 2/3

Doaba Foundation supports the goals of the UN Global Compact

The UN Global Compact is a strategic policy initiative for businesses that are committed to aligning their operations and strategies with [ten universally accepted principles](#) in the areas of [human rights](#), [labour](#), [environment](#) and [anti-corruption](#). By doing so, business, as a primary driver of globalisation, can help ensure that markets, commerce, technology and finance advance in ways that benefit economies and societies everywhere.

[Human Rights](#)

- [Principle 1](#): Businesses should support and respect the protection of internationally proclaimed human rights; and
- [Principle 2](#): make sure that they are not complicit in human rights abuses.

[Labour](#)

- [Principle 3](#): Businesses should uphold the freedom of association and the effective recognition of the right to collective bargaining;
- [Principle 4](#): the elimination of all forms of forced and compulsory labour;
- [Principle 5](#): the effective abolition of child labour; and
- [Principle 6](#): the elimination of discrimination in respect of employment and occupation.

[Environment](#)

- [Principle 7](#): Businesses should support a precautionary approach to environmental challenges;
- [Principle 8](#): undertake initiatives to promote greater environmental responsibility; and
- [Principle 9](#): encourage the development and diffusion of environmentally friendly technologies.

[Anti-Corruption](#)

- [Principle 10](#): Businesses should work against corruption in all its forms, including extortion and bribery.

The Global Compact is global and local; private and public; voluntary yet accountable.

Further information is available on this website in different languages: <https://www.unglobalcompact.org>

Supplier qualification

Page 3/3

We, _____ (name of company) hereby declare that

- a) we are not in bankruptcy proceedings, judicial insolvency proceedings or in liquidation, that we have not ceased our commercial activities and are not in a comparable situation by virtue of similar proceedings referred to in the national legal provisions,
- b) we have not received a sanction by legally binding judgment for reasons which bring into doubt our professional reliability,
- c) we comply with our duty to pay social insurance contributions, taxes or other levies in accordance with the legal provisions of the state in which we have our office, the state of the consignee, or the state where the contract is performed,
- d) we have not received a legally binding sentence due to fraud, corruption, participation in a criminal association, or another act directed against the financial interests of the European Communities,
- e) no serious breaches of contract due to non-performance of our contractual obligations have been ascertained in connection with another contract or a contract awarded from the Community budget,

- f) we are providing you with all the information required in connection with participation in a tender,
- g) in respect of contracts which are ultimately paid for out of European Community funds, no one has accused us of breach of contract due to gross violation of our contractual obligations,
- h) we have not been excluded as a contract partner by the European Community due to ethical issues,
- i) we assure the European Commission, the European Anti-Corruption Bureau and the auditors of the European Community reasonable access on demand to our business and accounting documents for the purpose of checks and audits,
- j) We respect basic social rights and condemn child labor.

We support the goals of the United Nations Global Compact <https://www.unglobalcompact.org>

Date, company name, signature, name in block capitals, company stamp.

Declaration of Impartiality and Confidentiality, Page ¼

Publication ref: _____

I, the undersigned, hereby declare that I agree to participate in the evaluation of the above-mentioned [tender procedure][call for proposals]. By making this declaration, I declare that I am aware of the following:

1. Financial persons and other persons involved in budget implementation and management, including acts preparatory thereto, audit or control shall not take any action which may bring their own interests into conflict with those of Welthungerhilfe and the Donor..

If such a risk exists, the person in question shall refrain from such action. He or she shall refer the matter to the authorising officer by delegation and inform his or her hierarchical superior. The authorising officer shall confirm in writing whether a conflict of interests exists. Where a conflict of interests is found to exist, the person in question shall cease all activities in the matter. The authorising officer by delegation shall personally take any further appropriate action.

2. For the purposes of paragraph 1, a conflict of interests exists where the impartial and objective exercise of the functions of a financial person or other person, as referred to in paragraph 1, is compromised for reasons involving family, emotional life, political or national affinity, economic interest or any other shared interest with a recipient.

I hereby declare that, to my knowledge, I have no conflict of interest with the operators who have [applied to participate] [submitted a tender] for this contract, including persons or members of a consortium, or the subcontractors proposed.

I confirm that if I discover during the evaluation that such a conflict exists or might exist, I shall declare it immediately to the chairperson of the evaluation committee. In the case that such conflict is confirmed by the chairperson, I agree to cease from participating in the evaluation committee.

I confirm that I have familiarised myself with the information available to date concerning this [tender procedure][call for proposals], including the provisions of the Practical Guide relating to the evaluation process.

I shall execute my responsibilities impartially and objectively. I further declare that, to the best of my knowledge, I am not in a situation that could cast doubt on my ability to evaluate the [tender(s)][application(s)].

I shall maintain the strictest confidentiality in respect of all information acquired as a result of my involvement in the evaluation process of the above-mentioned call, as well as any information relating specifically to the object of this call.

Declaration of Impartiality and Confidentiality,

I undertake neither to disclose such information to any person who is not already authorised to have access to such information, nor to discuss it with any person in any public place or where others could overhear it.

(Name in Block letters, Date, Signature)